

Marking Scheme
Strictly Confidential
(For Internal and Restricted use only)
Secondary School Supplementary Examination, July- 2023
MATHEMATICS PAPER CODE 30/C/1

General Instructions: -


1	You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2	“Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted, Evaluation done and several other aspects. Its’ leakage to public in any manner could lead to derailment of the examination system and affect the life and future of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine and printing in News Paper/Website etc may invite action under various rules of the Board and IPC.”
3	Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one’s own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed. However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and due marks be awarded to them. In class-X, while evaluating two competency-based questions, please try to understand given answer and even if reply is not from marking scheme but correct competency is enumerated by the candidate, due marks should be awarded.
4	The Marking scheme carries only suggested value points for the answers. These are in the nature of Guidelines only and do not constitute the complete answer. The students can have their own expression and if the expression is correct, the due marks should be awarded accordingly.
5	The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. If there is any variation, the same should be zero after deliberation and discussion. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
6	Evaluators will mark (✓) wherever answer is correct. For wrong answer CROSS ‘X’ be marked. Evaluators will not put right (✓) while evaluating which gives an impression that answer is correct and no marks are awarded. This is most common mistake which evaluators are committing.
7	If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totaled up and written in the left-hand margin and encircled. This may be followed strictly.
8	If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.
9	<u>In Q1-Q20, if a candidate attempts the question more than once (without canceling the previous attempt), marks shall be awarded for the first attempt only and the other answer scored out with a note “Extra Question”.</u>
10	<u>In Q21-Q38, if a student has attempted an extra question, answer of the question deserving more marks should be retained and the other answer scored out with a note “Extra Question”.</u>


11	No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
12	A full scale of marks _____ (example 0 to 80/70/60/50/40/30 marks as given in Question Paper) has to be used. Please do not hesitate to award full marks if the answer deserves it.
13	Every examiner has to necessarily do evaluation work for full working hours i.e., 8 hours every day and evaluate 20 answer books per day in main subjects and 25 answer books per day in other subjects (Details are given in Spot Guidelines). This is in view of the reduced syllabus and number of questions in question paper.
14	<p>Ensure that you do not make the following common types of errors committed by the Examiner in the past:-</p> <ul style="list-style-type: none"> ● Leaving answer or part thereof unassessed in an answer book. ● Giving more marks for an answer than assigned to it. ● Wrong totaling of marks awarded on an answer. ● Wrong transfer of marks from the inside pages of the answer book to the title page. ● Wrong question wise totaling on the title page. ● Wrong totaling of marks of the two columns on the title page. ● Wrong grand total. ● Marks in words and figures not tallying/not same. ● Wrong transfer of marks from the answer book to online award list. ● Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.) ● Half or a part of answer marked correct and the rest as wrong, but no marks awarded.
15	While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as cross (X) and awarded zero (0) Marks.
16	Any un assessed portion, non-carrying over of marks to the title page, or totaling error detected by the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously and judiciously.
17	The Examiners should acquaint themselves with the guidelines given in the “ Guidelines for spot Evaluation ” before starting the actual evaluation.
18	Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totaled and written in figures and words.
19	The candidates are entitled to obtain photocopy of the Answer Book on request on payment of the prescribed processing fee. All Examiners/Additional Head Examiners/Head Examiners are once again reminded that they must ensure that evaluation is carried out strictly as per value points for each answer as given in the Marking Scheme.

MARKING SCHEME
MATHEMATICS (Subject Code-041)
(PAPER CODE: 30/C/1)

Q. No.	EXPECTED OUTCOMES/VALUE POINTS	Marks
	SECTION A Questions no. 1 to 18 are multiple choice questions (MCQs) and questions number 19 and 20 are Assertion-Reason based questions of 1 mark each	
1.	The values of k for which the equation $4x^2 + kx + 9 = 0$ has real and equal roots are : (a) ± 11 (b) ± 12 (c) ± 6 (d) ± 3	
Sol.	(b) ± 12	1
2.	The distance of the point (4, 7) from the x-axis is : (a) 7 units (b) 5 units (c) 4 units (d) 10 units	
Sol.	(a) 7 units	1
3.	In a family of two children, the probability of having at least one girl is : (a) $\frac{1}{2}$ (b) $\frac{2}{5}$ (c) $\frac{3}{4}$ (d) $\frac{1}{4}$	
Sol.	(c) $\frac{3}{4}$	1
4.	The condition for which the pair of equations $ax + 2y = 7$ and $3x + by = 16$ represent parallel lines is : (a) $ab = \frac{7}{16}$ (b) $ab = 6$ (c) $ab = 3$ (d) $ab = 2$	
Sol.	(b) $ab = 6$	1

5.	<p>The zeroes of the polynomial $3x^2 + 11x - 4$ are :</p> <p>(a) $\frac{1}{2}, -4$ (b) $\frac{1}{4}, -3$ (c) $\frac{1}{3}, -4$ (d) $\frac{1}{3}, 4$</p>	
Sol.	(c) $\frac{1}{3}, -4$	1
6.	<p>$\cot^2 \theta - \frac{1}{\sin^2 \theta}$ is equal to :</p> <p>(a) 1 (b) 2 (c) -2 (d) -1</p>	
Sol.	(d) -1	1
7.	<p>The coordinates of the point A, where AB is the diameter of the circle whose centre is $(3, -2)$ and B $(7, 4)$ is :</p> <p>(a) $(-1, -8)$ (b) $(-1, 8)$ (c) $(1, 8)$ (d) $(1, -8)$</p>	
Sol.	(a) $(-1, -8)$	1
8.	<p>If $x, 2x + 9, 4x + 3$ are three consecutive terms of an A.P., then the value of x is :</p> <p>(a) 3 (b) 10 (c) 13 (d) 15</p>	
Sol.	(d) 15	1
9.	<p>The height of a tower is 20 m. The length of its shadow made on the level ground when the Sun's altitude is 60°, is :</p> <p>(a) $\frac{20}{\sqrt{3}}$ m (b) $\frac{20}{3}$ m (c) $20\sqrt{3}$ m (d) 20 m</p>	
Sol.	(a) $\frac{20}{\sqrt{3}}$ m	1


SECTION B		
	This section comprises very short answer (VSA) type questions of 2 marks each.	
21. (a)	If $\sqrt{2}$ is given as an irrational number, then prove that $(5 - 2\sqrt{2})$ is an irrational number.	
Sol.	<p>Let us assume that $5 - 2\sqrt{2}$ be a rational number.</p> <p>$\therefore 5 - 2\sqrt{2} = \frac{p}{q}$, where p and q are integers and $q \neq 0$.</p> <p>$\Rightarrow \sqrt{2} = \frac{5q - p}{2q}$</p> <p>RHS is a rational number. So, LHS is also a rational number which contradict the given fact that $\sqrt{2}$ is an irrational number.</p> <p>So, our assumption is wrong.</p> <p>Hence, $5 - 2\sqrt{2}$ is an irrational number.</p>	1 1/2 1/2
OR		
21. (b)	Check whether 6^n can end with the digit 0 for any natural number n.	
Sol.	<p>If the number 6^n ends with the digit 0, then it should be divisible by 2 and 5.</p> <p>But prime factorisation of 6^n is $(2 \times 3)^n$.</p> <p>\therefore Prime factorisation of 6^n does not contain prime number 5.</p> <p>Hence, 6^n can't end with the digit 0.</p>	1 1
22.	<p>In the figure, E is a point on side CB produced of an isosceles triangle ABC with $AB = AC$. If $AD \perp BC$ and $EF \perp AC$, prove that $\Delta ABD \sim \Delta ECF$.</p> 	

24.	<p>A circle is touching the side BC of a ΔABC at the point P and touching AB and AC produced at points Q and R respectively.</p> <p>Prove that $AQ = \frac{1}{2}$ (Perimeter of ΔABC).</p> 	
Sol.	<p>Perimeter of $\Delta ABC = AB + BC + CA$ $= AB + BP + CP + CA$ $= AB + BQ + CR + CA$ [BP = BQ ; CP = CR] $= AQ + AR$ $= AQ + AQ$ [AQ = AR] $= 2 AQ$</p> <p>$\therefore AQ = \frac{1}{2}$ (Perimeter of ΔABC)</p>	<p>$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$</p>
25.	<p>Find the ratio in which the point $(-1, k)$ divides the line segment joining the points $(-3, 10)$ and $(6, -8)$. Hence, find the value of k.</p>	
Sol.	<p>Let C $(-1, k)$ be divides the line segment joining the points A $(-3, 10)$ and B $(6, -8)$ in the ratio $m : 1$.</p> <p>Using section formula</p> $-1 = \frac{-3+6m}{m+1}$ $\Rightarrow m = \frac{2}{7}$ <p>Hence, required ratio is $2 : 7$</p> $k = \frac{10 \times 7 - 8 \times 2}{2+7} = 6$	<p>1 1</p>

SECTION C		
This section comprises of Short Answer (SA) type questions of 3 marks each.		
26.	The age of the father is twice the sum of the ages of his two children. After 20 years, his age will be equal to the sum of the ages of his children. Find the present age of the father.	
Sol.	<p>Let the present age of the father be 'x' years and the sum of present ages of his two children be 'y' years A.T.Q.</p> $x = 2y \quad \text{-----} \textcircled{1}$ $x + 20 = y + 40 \quad \text{-----} \textcircled{2}$ <p>Solving $\textcircled{1}$ and $\textcircled{2}$, we get $x = 40$ Hence, the present age of the father is 40 years.</p>	<p>1 1 1</p>
27.	Two water taps together can fill a tank in $3\frac{1}{3}$ hours. The tap of larger diameter takes 5 hours less than the smaller one to fill the tank separately. Find the time in which each tap can fill the tank separately.	
Sol.	<p>Let the time taken by the tap of smaller diameter to fill the tank separately be 'x' hours and the time taken by the tap of larger diameter to fill the tank separately be (x – 5) hours. A.T.Q.</p> $\frac{1}{x} + \frac{1}{x-5} = \frac{3}{10}$ $\Rightarrow 3x^2 - 35x + 50 = 0$ $\Rightarrow (x - 10)(3x - 5) = 0$ $\Rightarrow x = 10 \text{ or } x = \frac{5}{3}$ <p>But $x = \frac{5}{3}$ is not possible, so $x = 10$ \therefore time taken by the tap of smaller diameter to fill the tank separately is 10 hours and time taken by the tap of larger diameter to fill the tank separately is $10 - 5 = 5$ hours</p>	<p>1 1</p> <p style="text-align: right;">} $\frac{1}{2}$ } $\frac{1}{2}$</p>
28.	State and prove Basic Proportionality theorem.	
Sol.	<p>Correct statement of Basic Proportionality Correct figure, given, to prove and construction Correct proof</p>	<p>$\frac{1}{2}$ 1 $1\frac{1}{2}$</p>


29 (a).	Find the sum of all integers between 50 and 500, which are divisible by 7.	
Sol.	56, 63, ..., 497 Here $a = 56$ and $d = 7$ Let $a_n = 497$ $\Rightarrow 56 + (n - 1) \times 7 = 497$ $\Rightarrow n = 64$ $S_{64} = \frac{64}{2} \times (56 + 497) = 17696$	1 $\frac{1}{2}$ $\frac{1}{2}$ 1
OR		
29 (b).	How many numbers lie between 10 and 300, which when divided by 4 leave a remainder 3 ? Also, find their sum.	
Sol.	11, 15, ..., 299 Here $a = 11$ and $d = 4$ Let $a_n = 299$ $\Rightarrow 11 + (n - 1) \times 4 = 299$ $\Rightarrow n = 73$ $S_{73} = \frac{73}{2} \times (11 + 299) = 11315$	1 $\frac{1}{2}$ $\frac{1}{2}$ 1
30.	Draw the graph of the following equations : $x + y = 5$, $x - y = 5$, and (i) find the solution of the equations from the graph. (ii) shade the triangular region formed by the lines and the y-axis.	
Sol.	Correct graph of line for equation $x + y = 5$. Correct graph of line for equation $x - y = 5$. (i) (5, 0) (ii) Correct shade the required triangular region.	1 1 $\frac{1}{2}$ $\frac{1}{2}$
31 (a).	Find the area of the minor and the major sectors of a circle with radius 6 cm, if the angle subtended by the minor arc at the centre is 60° . (Use $\pi = 3.14$)	
Sol.	Area of minor sector = $\frac{3.14 \times (6)^2 \times 60^\circ}{360^\circ}$ = 18.84 Hence, area of minor sector is 18.84 cm^2	1 $\frac{1}{2}$

	<p>Area of major sector = Area of circle – Area of minor sector $= 3.14 \times (6)^2 - 18.84$ $= 94.2$</p> <p>Hence, area of major sector is 94.2 cm^2</p>	1 ½
	OR	
31 (b).	<p>If a chord of a circle of radius 10 cm subtends an angle of 60° at the centre of the circle, find the area of the corresponding minor segment of the circle. (Use $\pi = 3.14$ and $\sqrt{3} = 1.73$)</p>	
Sol.	<p>Area of minor segment = $\frac{3.14 \times (10)^2 \times 60^\circ}{360^\circ} - \frac{1}{2} \times (10)^2 \times \frac{\sqrt{3}}{2}$ $= \frac{314}{6} - \frac{173}{4}$ $= 9\frac{1}{12}$ or 9.08</p> <p>Hence, area of minor segment is 9.08 cm^2.</p>	2 ½ ½
	SECTION D	
	This section comprises of Long Answer (LA) type questions of 5 marks each.	
32 (a).	<p>A tent is in the shape of a right circular cylinder up to a height of 3 m and then a right circular cone, with a maximum height of 13.5 m above the ground. Calculate the cost of painting the inner side of the tent at the rate of ₹ 2 per square metre, if the radius of the base is 14 m.</p>	
Sol.	<p>Height of conical part = $13.5 - 3 = 10.5 \text{ m}$ Slant height = $\sqrt{(14)^2 + (10.5)^2} = 17.5 \text{ m}$ SA of tent = CSA of conical part + CSA of cylindrical part $= \left(\frac{22}{7} \times 14 \times 17.5\right) + \left(2 \times \frac{22}{7} \times 14 \times 3\right)$ $= 1034 \text{ m}^2$ Cost of painting @ ₹ 2 per $\text{m}^2 = 1034 \times 2 = ₹ 2068$</p>	½ 1 2 ½ 1
	OR	
32 (b).	<p>A solid wooden toy is in the shape of a right circular cone mounted on a hemisphere of same radius. If the radius of the hemisphere is 4.2 cm and the total height of the toy is 10.2 cm, find the volume of the wooden toy. Also, find the total surface area of the toy.</p>	

Sol.	<p>Height of conical part = $10.2 - 4.2 = 6$ cm</p> <p>Volume of toy = Volume of conical part + Volume of hemispherical part</p> $= \left(\frac{1}{3} \times \frac{22}{7} \times (4.2)^2 \times 6\right) + \left(\frac{2}{3} \times \frac{22}{7} \times (4.2)^3\right)$ $= 266.112$ <p>Hence, Volume of toy is 266.112 cm^3</p> <p>Slant height of conical part = $\sqrt{(4.2)^2 + (6)^2} \approx 7.32$ cm</p> <p>TSA of the toy = CSA of hemispherical part + CSA of conical part</p> $= \left(2 \times \frac{22}{7} \times (4.2)^2\right) + \left(\frac{22}{7} \times 4.2 \times 7.32\right)$ $= 207.504$ <p>Hence, TSA of toy is 207.504 cm^2</p>	<p>$\frac{1}{2}$</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>$\frac{1}{2}$</p>
33.	<p>As observed from the top of a lighthouse, 100 m above sea level, the angle of depression of a ship, sailing directly towards it, changes from 30° to 45°. Determine the distance travelled by the ship during the period of observation. (Use $\sqrt{3} = 1.732$)</p>	
Sol.	<p>Correct figure.</p>  <p>In ΔABC</p> $\frac{100}{BC} = \tan 45^\circ = 1$ $\Rightarrow BC = 100 \quad \text{--- (1)}$ <p>In ΔABD</p> $\frac{100}{BD} = \tan 30^\circ = \frac{1}{\sqrt{3}}$ $\Rightarrow BD = 100\sqrt{3}$	<p>2</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>

	$\Rightarrow 100 + CD = 100\sqrt{3}$ $\Rightarrow CD = 100\sqrt{3} - 100 = 100(1.732 - 1) = 73.2$ <p>Hence, distance travelled by the ship during the period of observation is 73.2 m</p>	$\frac{1}{2}$ 1																																			
34.	<p>A survey regarding the heights (in cm) of 50 girls of class X of a school was conducted and the following data was obtained :</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Height (in cm)</th> <th>Number of girls</th> </tr> </thead> <tbody> <tr> <td>120 – 130</td> <td>2</td> </tr> <tr> <td>130 – 140</td> <td>8</td> </tr> <tr> <td>140 – 150</td> <td>12</td> </tr> <tr> <td>150 – 160</td> <td>20</td> </tr> <tr> <td>160 – 170</td> <td>8</td> </tr> <tr> <td>Total</td> <td>50</td> </tr> </tbody> </table> <p>Find the mean and mode of the above data.</p>	Height (in cm)	Number of girls	120 – 130	2	130 – 140	8	140 – 150	12	150 – 160	20	160 – 170	8	Total	50																						
Height (in cm)	Number of girls																																				
120 – 130	2																																				
130 – 140	8																																				
140 – 150	12																																				
150 – 160	20																																				
160 – 170	8																																				
Total	50																																				
Sol.	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Height (in cm)</th> <th>No. of girls</th> <th>x_i</th> <th>u_i</th> <th>fu_i</th> </tr> </thead> <tbody> <tr> <td>120 – 130</td> <td>2</td> <td>125</td> <td>-2</td> <td>-4</td> </tr> <tr> <td>130 – 140</td> <td>8</td> <td>135</td> <td>-1</td> <td>-8</td> </tr> <tr> <td>140 – 150</td> <td>12</td> <td>145 = a</td> <td>0</td> <td>0</td> </tr> <tr> <td>150 – 160</td> <td>20</td> <td>155</td> <td>1</td> <td>20</td> </tr> <tr> <td>160 – 170</td> <td>8</td> <td>165</td> <td>2</td> <td>16</td> </tr> <tr> <td>Total</td> <td>50</td> <td></td> <td></td> <td>24</td> </tr> </tbody> </table> <p style="text-align: right;">Correct table</p> <p>Mean = $145 + \frac{24}{50} \times 10$ = 149.8 \therefore mean height is 149.8 cm Modal class is 150 – 160 Mode = $150 + \frac{(20-12)}{(2 \times 20 - 12 - 8)} \times 10$ = 154 \therefore modal height is 154 cm</p>	Height (in cm)	No. of girls	x_i	u_i	fu_i	120 – 130	2	125	-2	-4	130 – 140	8	135	-1	-8	140 – 150	12	145 = a	0	0	150 – 160	20	155	1	20	160 – 170	8	165	2	16	Total	50			24	$\frac{1}{2}$ 1 $\frac{1}{2}$ $\frac{1}{2}$ 1 $\frac{1}{2}$
Height (in cm)	No. of girls	x_i	u_i	fu_i																																	
120 – 130	2	125	-2	-4																																	
130 – 140	8	135	-1	-8																																	
140 – 150	12	145 = a	0	0																																	
150 – 160	20	155	1	20																																	
160 – 170	8	165	2	16																																	
Total	50			24																																	

35 (a).	<p>(i) Prove that :</p> $\sqrt{\sec^2 \theta + \operatorname{cosec}^2 \theta} = \tan \theta + \cot \theta$ <p>(ii) Evaluate :</p> $\frac{\cos 45^\circ}{\sec 30^\circ + \operatorname{cosec} 30^\circ}$	
	<p>(i) LHS = $\sqrt{1 + \tan^2 \theta + 1 + \cot^2 \theta}$ $= \sqrt{\tan^2 \theta + \cot^2 \theta + 2 \times \tan \theta \times \cot \theta}$ $= \sqrt{(\tan \theta + \cot \theta)^2}$ $= \tan \theta + \cot \theta = \text{RHS}$</p> <p>(ii) $\frac{\frac{1}{\sqrt{2}}}{\frac{2}{\sqrt{3}} + 2}$ $= \frac{\sqrt{3}}{2\sqrt{2}(1+\sqrt{3})} \times \frac{\sqrt{2}}{\sqrt{2}}$ $= \frac{\sqrt{6}}{4(1+\sqrt{3})} \times \frac{(1-\sqrt{3})}{(1-\sqrt{3})}$ $= \frac{3\sqrt{2}-\sqrt{6}}{8}$</p>	<p>1</p> <p>1</p> <p>½</p> <p>1</p> <p>½</p> <p>½</p> <p>½</p>
OR		
35 (b).	If $x \sin^3 \theta + y \cos^3 \theta = \sin \theta \cos \theta$ and $x \sin \theta = y \cos \theta$, prove that $x^2 + y^2 = 1$.	
Sol.	<p>Given, $x \sin^3 \theta + y \cos^3 \theta = \sin \theta \cos \theta$ $\Rightarrow x \sin \theta (\sin^2 \theta) + y \cos \theta (\cos^2 \theta) = \sin \theta \cos \theta$ $\Rightarrow x \sin \theta (\sin^2 \theta) + x \sin \theta (\cos^2 \theta) = \sin \theta \cos \theta$ $\Rightarrow x \sin \theta (\sin^2 \theta + \cos^2 \theta) = \sin \theta \cos \theta$ $\Rightarrow x = \cos \theta$</p> <p>Given, $x \sin \theta = y \cos \theta$ $\Rightarrow \cos \theta \sin \theta = y \cos \theta$ $\Rightarrow y = \sin \theta$</p> <p>LHS = $x^2 + y^2 = (\cos \theta)^2 + (\sin \theta)^2 = 1 = \text{RHS}$</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>
SECTION E This section comprises of 3 case-study based questions of 4 marks each.		

36.	<p>In a park, four poles are standing at positions A, B, C and D around the circular fountain such that the cloth joining the poles AB, BC, CD and DA touches the circular fountain at P, Q, R and S respectively as shown in the figure.</p> <div style="display: flex; justify-content: space-around; align-items: center;">   </div> <p>Based on the above information, answer the following questions :</p> <p>(i) If O is the centre of the circular fountain, then $\angle OSA = \dots$</p> <p>(ii) If $AB = AD$, then write the name of the figure ABCD.</p> <p>(iii) (a) If $DR = 7$ cm and $AD = 11$ cm, then find the length of AP.</p> <p style="text-align: center;">OR</p> <p>(iii) (b) If O is the centre of the circular fountain with $\angle QCR = 60^\circ$, then find the measure of $\angle QOR$.</p>	
Sol.	<p>(i) 90°</p> <p>(ii) $AB + DC = BC + DA$ Given, $AB = AD$ $\Rightarrow BC = DC$ So, ABCD is a Kite</p> <p>(iii) (a) $DS = DR = 7$ cm $AD = 11$ cm $7 + SA = 11$ $\Rightarrow SA = 4$ cm $\therefore AP = SA = 4$ cm</p> <p style="text-align: center;">OR</p> <p>(b) $\angle QOR = 180^\circ - 60^\circ$ $= 120^\circ$</p>	<p>1</p> <p>1</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>1</p> <p>1</p>

37.	<p>While playing in a garden, Samaira saw a honeycomb and asked her mother what is that. Her mother replied that it's a honeycomb made by honey bees to store honey. Also, she told her that the shape of the honeycomb formed is a mathematical structure. The mathematical representation of the honeycomb is shown in the graph.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> </div> <p>Based on the above information, answer the following questions :</p> <p>(i) How many zeroes are there for the polynomial represented by the graph given ?</p> <p>(ii) Write the zeroes of the polynomial.</p> <p>(iii) (a) If the zeroes of a polynomial $x^2 + (a + 1)x + b$ are 2 and -3, then determine the values of a and b.</p> <p style="text-align: center;">OR</p> <p>(iii) (b) If the square of difference of the zeroes of the polynomial $x^2 + px + 45$ is 144, then find the value of p.</p>	
Sol.	<p>(i) Two</p> <p>(ii) 7 and -7</p> <p>(iii) (a) $-(a + 1) = 2 + (-3) \Rightarrow a = 0$ $b = 2 \times (-3) \Rightarrow b = -6$</p> <p style="text-align: center;">OR</p> <p>(b) Let α and β be the zeroes of given polynomial Here, $\alpha + \beta = -p$ and $\alpha\beta = 45$ $(\alpha - \beta)^2 = 144$ $\Rightarrow (\alpha + \beta)^2 - 4\alpha\beta = 144$ $\Rightarrow (-p)^2 - 4 \times 45 = 144$ $\Rightarrow p = \pm 18$</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p></p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>

38.	<p>February 14 is celebrated as International Book Giving Day and many countries in the world celebrate this day. Some people in India also started celebrating this day and donated the following number of books of various subjects to a public library :</p> <p>History = 96, Science = 240, Mathematics = 336.</p> <p>These books have to be arranged in minimum number of stacks such that each stack contains books of only one subject and the number of books on each stack is the same.</p> <p>Based on the above information, answer the following questions :</p> <p>(i) How many books are arranged in each stack ?</p> <p>(ii) How many stacks are used to arrange all the Mathematics books ?</p> <p>(iii) (a) Determine the total number of stacks that will be used for arranging all the books.</p> <p style="text-align: center;">OR</p> <p>(iii) (b) If the thickness of each book of History, Science and Mathematics is 1.8 cm, 2.2 cm and 2.5 cm respectively, then find the height of each stack of History, Science and Mathematics books.</p>	
Sol.	<p>(i) $\text{HCF}(96, 240, 336) = 48$</p> <p>(ii) Number of stacks = $\frac{336}{48} = 7$</p> <p>(iii) (a) Total number of stacks = $\frac{96}{48} + \frac{240}{48} + \frac{336}{48}$ $= 14$</p> <p style="text-align: center;">OR</p> <p>(b) Height of each stack of History = $48 \times 1.8 = 86.4$ cm Height of each stack of Science = $48 \times 2.2 = 105.6$ cm Height of each stack of Mathematics = $48 \times 2.5 = 120$ cm</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1 mark for 1 correct answer, 1½ mark for two correct answer and 2 marks for all correct answers.</p>