

Marking Scheme
Strictly Confidential
(For Internal and Restricted use only)
Senior School Certificate Examination, 2025
SUBJECT NAME BIOLOGY (SUBJECT CODE 044) (PAPER CODE 57/4/3)

General Instructions: -

1.	You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2.	“Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted, Evaluation done and several other aspects. Its’ leakage to public in any manner could lead to derailment of the examination system and affect the life and future of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine and printing in News Paper/Website etc may invite action under various rules of the Board and IPC.”
3.	Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one’s own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed. However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and due marks be awarded to them. In class-XII, while evaluating two competency-based questions, please try to understand given answer and even if reply is not from marking scheme but correct competency is enumerated by the candidate, due marks should be awarded.
4.	The Marking scheme carries only suggested value points for the answers These are in the nature of Guidelines only and do not constitute the complete answer. The students can have their own expression and if the expression is correct, the due marks should be awarded accordingly.
5.	The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. If there is any variation, the same should be zero after deliberation and discussion. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
6.	Evaluators will mark(✓) wherever answer is correct. For wrong answer CROSS ‘X’ be marked. Evaluators will not put right (✓) while evaluating which gives an impression that answer is correct and no marks are awarded. This is most common mistake which evaluators are committing.
7.	If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totaled up and written in the left-hand margin and encircled. This may be followed strictly.
8.	If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.
9.	If a student has attempted an extra question, answer of the question deserving more marks should be retained and the other answer scored out with a note “Extra Question” .

10.	No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
11.	A full scale of marks 0-70 has to be used. Please do not hesitate to award full marks if the answer deserves it.
12.	Every examiner has to necessarily do evaluation work for full working hours i.e., 8 hours every day and evaluate 20 answer books per day in main subjects and 25 answer books per day in other subjects (Details are given in Spot Guidelines).
13.	<p>Ensure that you do not make the following common types of errors committed by the Examiner in the past:-</p> <ul style="list-style-type: none"> ● Leaving answer or part thereof unassessed in an answer book. ● Giving more marks for an answer than assigned to it. ● Wrong totalling of marks awarded on an answer. ● Wrong transfer of marks from the inside pages of the answer book to the title page. ● Wrong question wise totalling on the title page. ● Wrong totalling of marks of the two columns on the title page. ● Wrong grand total. ● Marks in words and figures not tallying/not same. ● Wrong transfer of marks from the answer book to online award list. ● Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.) <p>Half or a part of answer marked correct and the rest as wrong, but no marks awarded.</p>
14.	While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as cross (X) and awarded zero (0) Marks.
15.	Any un assessed portion, non-carrying over of marks to the title page, or totalling error detected by the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously and judiciously.
16.	The Examiners should acquaint themselves with the guidelines given in the “ Guidelines for spot Evaluation ” before starting the actual evaluation.
17.	Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totalled and written in figures and words.
18.	The candidates are entitled to obtain photocopy of the Answer Book on request on payment of the prescribed processing fee. All Examiners/Additional Head Examiners/Head Examiners are once again reminded that they must ensure that evaluation is carried out strictly as per value points for each answer as given in the Marking Scheme.

MARKING SCHEME

Senior Secondary School Examination, 2025

BIOLOGY (Subject Code-044)


[Paper Code: 57/4/3]

Maximum Marks: 70

Q. No.	Expected Answer/Value Points	Marks	Total marks
Section A			
1.	(A)/ Linker DNA	1	1
2.	(D)/ (i), (iii) and (iv)	1	1
3.	(B)/ Thalassemia is due to less synthesis of globin molecules.	1	1
4.	(B)/ Aa, aa	1	1
5.	(A)/ Histamine and Serotonin	1	1
6.	(C)/ (iii) and (iv)	1	1
7.	(B)/ <i>Homo habilis</i>	1	1
8.	(C)/ Serine	1	1
9.	(D)/ Mice	1	1
10.	(A) / 	1	1
11.	(B) <i>Monascus purpureus</i>	1	1
12.	(D) 3 : 1	1	1
13.	(C) / Assertion (A) is true, but Reason (R) is false.	1	1
14.	(C) / Assertion (A) is true, but Reason (R) is false.	1	1
15.	(A) / Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).	1	1
16.	(D) / Assertion (A) is false, but Reason (R) is true.	1	1
Section B			
17.	(a) DNA ligase (b) Transformation (c) Same restriction EcoRI is used to cut both the vector DNA and alien DNA because it will produce complementary overhangs or sticky ends which will help in joining two DNA strands through hydrogen bonds.	½ ½ 1	2

	<p>(II) Acrosome is filled with enzymes which help to fertilize ovum/The secretions of the acrosome help the sperm enter into the cytoplasm of the ovum</p> <p>(ii)</p> <table border="1"> <thead> <tr> <th>Menarche</th> <th>Menopause</th> </tr> </thead> <tbody> <tr> <td>Is the beginning of the first menstrual cycle</td> <td>It marks the end of the menstrual cycle</td> </tr> <tr> <td>Starts at puberty</td> <td>Ceases/stops around the age of 50 years</td> </tr> </tbody> </table> <p style="text-align: right;">(any one difference)</p> <p style="text-align: center;">OR</p> <p>(b)</p> <p>(i) Apomixis is production of seeds without fertilisation whereas parthenocarpy is formation of fruits without fertilisation.</p> <p>(ii) Floral parts other than the ovary also contribute to form fruit in cashew and apple so they are not called as true fruits/ in apple and cashew the thalamus also contributes to fruit formation.</p>	Menarche	Menopause	Is the beginning of the first menstrual cycle	It marks the end of the menstrual cycle	Starts at puberty	Ceases/stops around the age of 50 years	<p>½</p> <p>1</p> <p>1</p> <p>1</p>	<p>2</p>
Menarche	Menopause								
Is the beginning of the first menstrual cycle	It marks the end of the menstrual cycle								
Starts at puberty	Ceases/stops around the age of 50 years								
Section C									
22.	<p>(a) Removal of <i>Lantana</i> allows other plants to grow, due to which herbivores population increases and that helps to restore the tiger population</p> <p>(b) <i>Lantana</i> being invasive does not allow other plants to grow in its surroundings, this will decrease in herbivore population which can in turn cause decline in the tiger population.</p>	<p>1+ 1</p> <p>½ + ½</p>	<p>3</p>						
23.	<p>(a) True-breeding line is one that having undergone continuous self-pollination, shows the stable trait inheritance, and expression for several generations.</p> <p>(b) Law of dominance</p> <ul style="list-style-type: none"> – Characters are controlled by discrete unit called factors – Factors occur in pairs. – In a dissimilar pair of factors one member of the pair dominates (dominant) the other (recessive). 	<p>½ x 3</p> <p>½ x 3</p>	<p>3</p>						
24.	<ul style="list-style-type: none"> • Advantage of Green revolution: <ul style="list-style-type: none"> - Increase in the production of crops, support more population in terms of food, <p style="text-align: right;">(Any one advantage)</p>	<p>1</p>							

	<ul style="list-style-type: none"> • Disadvantages of Green revolution: <ul style="list-style-type: none"> - Use of agrochemicals (fertilisers and pesticides) led to the pollution of soil or water in long run (biomagnification) - Crop management practices such as irrigation is expensive - Agrochemicals were too expensive - Led to increase in soil salinity - Agrochemicals reduce natural soil fertility - Crops become dependent on fertilisers & pesticides. - Or any other correct answer <p style="text-align: right;">(Any two disadvantages)</p>	1+1	3
25.	<p>(a) Wind pollination / Anemophily.</p> <p>(b) To trap air-borne pollen grains.</p> <p>(c) Pollen grains are light and, non-sticky</p> <p>(d) As they need not attract insects or birds or bats/ facilitate the flow of wind</p>	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2} + \frac{1}{2}$ 1	3
26.	After implantation of blastocyst finger-like projections appear on the trophoblast, called chorionic villi, which are surrounded by the uterine tissue, and maternal blood, the chorionic villi and uterine tissue become interdigitated with each other, and form a structural and functional unit between developing embryo or foetus and maternal tissue or body called placenta.	$\frac{1}{2} \times 6$	3
27.	<ul style="list-style-type: none"> – The sewage is constantly agitated mechanically and air is pumped into it. – This allows the vigorous growth of useful microbes into flocs (masses of bacteria associated with fungal hyphae to form mesh like structures). – While growing these microbes consume the major part of the organic matter in the effluent. – This significantly reduces the Biochemical Oxygen Demand or BOD. 	1 1 $\frac{1}{2}$ $\frac{1}{2}$	3

28.	<p>(a)</p> <p>(a) Phosphoester linkage/ Phosphoester bond (b) Phospho-di-ester linkage / Phospho-di-ester bond</p> <p>(b) Two</p> <p>(c)</p>  <p>correct 3'-5' ends } correct sugar phosphate backbone } ½ x 3 correct nitrogenous bases }</p>	<p>½</p> <p>½</p> <p>½</p> <p>½ x 3</p>	3
-----	---	---	---

Section D


29.	<p>(a)</p> <p>(i) Human and Macaque = Divergent evolution. (ii) Human and Frog = Divergent evolution.</p> <p>(b)</p> <p>Biochemical similarities in haemoglobin suggests common ancestry.</p> <p>(c)</p> <p>(i) Macaque is more closely related to humans than lamprey, because the number of amino acid differences between human and macaque is less / Human and macaque have more biochemical similarities in the structure of haemoglobin than human and lamprey.</p> <p style="text-align: center;">OR</p>	<p>½</p> <p>½</p> <p>1</p> <p>1+1</p>	
-----	---	---------------------------------------	--

	<p>(ii)</p> <ul style="list-style-type: none"> – Bone marrow transplantation from a healthy donor. – Enzyme replacement therapy, is when functional ADA is given to the patient by injection. – Gene therapy, lymphocytes from the blood of the patient are grown in a culture outside the body, A functional ADA cDNA (using a retrovirus) is then introduced into these lymphocytes which are subsequently returned to the patient. – If the gene isolated from marrow cells producing ADA is introduced into cells at early embryonic stages it could be a permanent cure. <p style="text-align: center;">OR</p> <p>(b)</p> <ul style="list-style-type: none"> – DNA fragments are negatively charged molecules, they can be separated by forcing them to move towards the anode, under an electric field, through a medium or matrix of agarose gel, the fragments separate according to their size, the smaller fragments will move farther, fragments are stained with ethidium bromide, and viewed under UV light and are seen as bright orange bands. – The separated band of DNA are cut out from the gel, DNA is extracted from the gel by elution. 	<p style="text-align: center;">1</p> <p style="text-align: center;">$\frac{1}{2} + \frac{1}{2}$</p> <p style="text-align: center;">$\frac{1}{2} \times 3$</p> <p style="text-align: center;">$\frac{1}{2}$</p> <p style="text-align: center;">$\frac{1}{2} \times 8$</p> <p style="text-align: center;">$\frac{1}{2} + \frac{1}{2}$</p>	5
32.	<p>(a)</p> <p>(i) A population growing in a habitat with limited resources initially shows a lag phase, followed by phases of acceleration and deceleration and, finally a asymptote when the population density reaches the carrying capacity.</p> <p>(ii) Equation:</p> $\frac{dN}{dt} = rN \left(\frac{K-N}{K} \right)$ <p>(N = population density at time t, r = intrinsic rate of natural increase, k = carrying capacity)</p>	<p style="text-align: center;">$\frac{1}{2} \times 3$</p> <p style="text-align: center;">1</p>	

(iii) Logistic growth curve / Verhulst – Pearl Logistic Growth curve/sigmoid growth curve/S-Shaped curve.

½

Correct graphical plot of logistic growth curve.



2

OR

(b)

(i)

- Within a region species richness increases with increasing explored area but only upto a limit
- Nature of the graph - rectangular hyperbola.

1

1

	<ul style="list-style-type: none"> - Male germ cells/ spermatogonia, undergo meiotic divisions finally leading to sperm formation - Sertoli cells, provide nutrition to the germ cells. 	$\frac{1}{2} + \frac{1}{2}$ $\frac{1}{2} + \frac{1}{2}$	
(ii)	<ul style="list-style-type: none"> - GnRH acts at the anterior pituitary gland, and stimulates secretion of (two) gonadotropins, <ul style="list-style-type: none"> - luteinising hormone (LH) - follicle stimulating hormone (FSH). 	$\frac{1}{2} + \frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	5