


Marking Scheme
Strictly Confidential
(For Internal and Restricted use only)
Secondary School Examination, 2025
SUBJECT NAME MATHEMATICS (BASIC) (Q.P. CODE 430/5/2)

General Instructions: -

1	You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2	“Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted, evaluation done and several other aspects. It’s leakage to public in any manner could lead to derailment of the examination system and affect the life and future of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine and printing in News Paper/Website etc. may invite action under various rules of the Board and IPC.”
3	Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one’s own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed. However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and due marks be awarded to them. In class-X, while evaluating two competency-based questions, please try to understand given answer and even if reply is not from marking scheme but correct competency is enumerated by the candidate, due marks should be awarded.
4	The Marking scheme carries only suggested value points for the answers. These are in the nature of Guidelines only and do not constitute the complete answer. The students can have their own expression and if the expression is correct, the due marks should be awarded accordingly.
5	The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. If there is any variation, the same should be zero after deliberation and discussion. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
6	Evaluators will mark (✓) wherever answer is correct. For wrong answer CROSS ‘X’ be marked. Evaluators will not put right (✓) while evaluating which gives an impression that answer is correct and no marks are awarded. This is most common mistake which evaluators are committing.
7	If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totaled up and written in the left-hand margin and encircled. This may be followed strictly.
8	If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.
9	If a student has attempted an extra question, answer of the question deserving more marks should be retained and the other answer scored out with a note “Extra Question” .
10	No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
11	A full scale of marks _____(example 0 to 80/70/60/50/40/30 marks as given in Question Paper) has to be used. Please do not hesitate to award full marks if the answer deserves it.
12	Every examiner has to necessarily do evaluation work for full working hours i.e., 8 hours every day and evaluate 20 answer books per day in main subjects and 25 answer books per day in other subjects (Details are given in Spot Guidelines). This is in view of the reduced syllabus and number of questions in question paper.
13	Ensure that you do not make the following common types of errors committed by the Examiner in the past:- <ul style="list-style-type: none"> ● Leaving answer or part thereof unassessed in an answer book. ● Giving more marks for an answer than assigned to it. ● Wrong totaling of marks awarded on an answer.

	<ul style="list-style-type: none"> ● Wrong transfer of marks from the inside pages of the answer book to the title page. ● Wrong question wise totaling on the title page. ● Wrong totaling of marks of the two columns on the title page. ● Wrong grand total. ● Marks in words and figures not tallying/not same. ● Wrong transfer of marks from the answer book to online award list. ● Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.) ● Half or a part of answer marked correct and the rest as wrong, but no marks awarded.
14	While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as cross (X) and awarded zero (0) Marks.
15	Any unassessed portion, non-carrying over of marks to the title page, or totaling error detected by the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously and judiciously.
16	The Examiners should acquaint themselves with the guidelines given in the “ Guidelines for spot Evaluation ” before starting the actual evaluation.
17	Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totaled and written in figures and words.
18	The candidates are entitled to obtain photocopy of the Answer Book on request on payment of the prescribed processing fee. All Examiners/Additional Head Examiners/Head Examiners are once again reminded that they must ensure that evaluation is carried out strictly as per value points for each answer as given in the Marking Scheme.

9. PQ and PR are tangents to a circle with centre O such that $OQ = QP$. The value of $\angle OPQ$ is equal to



- (A) 45° (B) 30°
(C) 60° (D) 90°

Ans: (A) 45°

1

10. If $\tan A = 1$, then $3 \sin A + \cos A$ is equal to

- (A) $4\sqrt{2}$ (B) 4
(C) $2\sqrt{2}$ (D) $4 \times 45^\circ$

Ans: (C) $2\sqrt{2}$

1

11. Which of the following depends on all observations of a given data ?

- (A) Median (B) Mean
(C) Range (D) Mode

Ans: (B) Mean

1

12. The value of k for which roots of quadratic equation $kx(x - 2) + 6 = 0$ are real and equal, is

- (A) 0 only (B) 0, 6
(C) 6 only (D) -6 only

Ans: (C) 6 only

1

13. An arc of length 22 cm subtends an angle of x° at the centre of the circle. If radius of circle is 36 cm, the value of x is

- (A) 35 (B) 40
(C) 60 (D) 30

Ans: (A) 35

1

<p>14. Two dice are rolled together. The probability that only one die shows number 4, is</p> <p>(A) $\frac{11}{36}$ (B) $\frac{1}{3}$ (C) $\frac{5}{18}$ (D) $\frac{1}{4}$</p>	
Ans: (C) $\frac{5}{18}$	1
<p>15. The distance between the points (2, 3) and (-2, -3) is</p> <p>(A) $4\sqrt{13}$ (B) $\sqrt{40}$ (C) $2\sqrt{13}$ (D) 5</p>	
Ans: (C) $2\sqrt{13}$	1
<p>16. Observe the given graph of polynomial $p(x)$. The number of zeroes of $p(x)$ is</p> <div style="text-align: center;"> </div> <p>(A) 0 (B) 1 (C) 3 (D) 2</p>	
Ans: (D) 2	1
<p>17. If E is an event such that $P(E) = 1\%$, then $P(\bar{E})$ is equal to</p> <p>(A) 0.09 (B) 0.99 (C) $\frac{1}{99}$ (D) 0.90</p>	
Ans: (B) 0.99	1
<p>18. The largest possible cone is just fitted inside a hollow cube of edge 25 cm. The radius of the base of the cone is</p> <p>(A) 5 cm (B) 12.5 cm (C) 25 cm (D) 10 cm</p>	
Ans: (B) 12.5 cm	1

(Assertion – Reason based questions)

Directions : Question numbers 19 and 20 are Assertion and Reason based questions. Two statements are given, one labelled as Assertion (A) and the other is labelled as Reason (R). Select the correct answer to these questions from the codes (A), (B), (C) and (D) as given below.

- (A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of the Assertion (A).
- (B) Both Assertion (A) and Reason (R) are true, but Reason (R) is not the correct explanation of the Assertion (A).
- (C) Assertion (A) is true, but Reason (R) is false.
- (D) Assertion (A) is false, but Reason (R) is true.

19. **Assertion (A) :** In a right angle triangle ABC, $\angle B = 90^\circ$. Therefore the value of $\cos (A + C)$ is equal to 0.

Reason (R) : $A + B + C = 180^\circ$ and $\cos 90^\circ = 0$.

Ans: (A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of Assertion (A).

1

20. **Assertion (A) :** When a hemisphere of same radius (r) is carved out from one side of a solid wooden cylinder, the total surface area of remaining solid is increased by $2\pi r^2$.

Reason (R) : Curved surface area of hemisphere is $2\pi r^2$.

Ans: (D) Assertion (A) is false, but Reason (R) is true.

1

Section – B

(Very Short Answer Type Questions)

5 × 2 = 10

Q. Nos. 21 to 25 are Very Short Answer type questions of 2 marks each.

21. Establish a relation between x and y such that point (x, y) is equidistant from points $(-2, 5)$ and $(3, 9)$.

Solution: $(x + 2)^2 + (y - 5)^2 = (x - 3)^2 + (y - 9)^2$
 $\Rightarrow x^2 + y^2 + 4x - 10y + 4 + 25 = x^2 + y^2 - 6x - 18y + 9 + 81$
 $\Rightarrow 10x + 8y = 61$

1

1

22. Using distance formula, prove that the points $(1, 5)$, $(2, 3)$ and $(3, 1)$ are collinear.

Solution: Let $A(1, 5)$, $B(2, 3)$ and $C(3, 1)$ be the points
 $AB = \sqrt{1^2 + (-2)^2} = \sqrt{5}$
 $BC = \sqrt{1^2 + (-2)^2} = \sqrt{5}$
 $AC = \sqrt{2^2 + (-4)^2} = \sqrt{20}$ or $2\sqrt{5}$
 $\therefore AB + BC = AC$, therefore points A, B and C are collinear.


$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

$\frac{1}{2}$

<p>23. Prove that, for a natural number n, 6^n can not end with the digit 0. Which prime number must be multiplied with 6^n so that the resultant ends with the digit zero ?</p>	
<p>Solution: $6^n = 2^n \times 3^n$</p> <p>To end with the digit 0, 6^n should have 2 and 5 both as prime factors.</p> <p>$\therefore 6^n$ cannot end with the digit 0.</p> <p>To end with digit 0, 6^n should be multiplied by the prime number 5.</p>	<p>1</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>
<p>24. (a) Evaluate : $2 \tan^2 45^\circ + \cos^2 30^\circ - \sin^2 90^\circ$.</p> <p style="text-align: center;">OR</p> <p>(b) Verify that $\cos 2A = \frac{1 - \tan^2 A}{1 + \tan^2 A}$ for $A = 30^\circ$.</p>	
<p>Solution: (a) $2(1)^2 + \left(\frac{\sqrt{3}}{2}\right)^2 - (1)^2$</p> <p style="text-align: center;">$= \frac{7}{4}$</p> <p style="text-align: center;">OR</p> <p>(b) LHS = $\cos 60^\circ = \frac{1}{2}$</p> <p>RHS = $\frac{1 - \tan^2 30^\circ}{1 + \tan^2 30^\circ} = \frac{1 - \frac{1}{3}}{1 + \frac{1}{3}}$</p> <p style="text-align: center;">$= \frac{1}{2} = \text{LHS}$</p>	<p>$1\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>1</p> <p>$\frac{1}{2}$</p>
<p>25. (a) A bag contains 40 marbles out of which some are white and others are black. If the probability of drawing a black marble is $\frac{3}{5}$, then find the number of white marbles.</p> <p style="text-align: center;">OR</p> <p>(b) In a pre-primary class, a teacher put cards numbered 20 to 59 in a bowl. A student picked up a card at random and read the number. Find the probability that the number read was (i) a prime number (ii) a perfect square.</p>	
<p>Solution: (a) Let the number of black marbles be n</p> <p>$P(\text{drawing a black marble}) = \frac{n}{40}$</p> <p>$\therefore \frac{3}{5} = \frac{n}{40} \Rightarrow n = 24$</p>	<p>$\frac{1}{2}$</p> <p>1</p>

<p>Volume of cones = $2 \times \frac{1}{3} \times \frac{22}{7} \times \frac{21}{10} \times \frac{21}{10} \times 5 = 46.2$ cu. cm</p> <p>Volume of remaining solid = $3080 - 46.2$ $= 3033.8$ cu. cm</p>	<p>1</p> <p>1</p>
<p>28. Point E lies on the extended side AD of parallelogram ABCD. BE intersects CD at F. Show that (i) $\triangle DFE \sim \triangle CFB$ (ii) $\triangle AEB \sim \triangle CBF$.</p>	
<p>Solution:</p> <div style="text-align: center;">  </div> <p>(i) In $\triangle DFE$ and $\triangle CFB$ $\angle 5 = \angle 3$ (Alternate Interior Angle) $\angle 1 = \angle 2$ (Alternate Interior Angle) \therefore By AA similarity criterion, $\triangle DFE \sim \triangle CFB$</p> <p>(ii) In $\triangle AEB$ and $\triangle CBF$ $\angle 1 = \angle 2$ (Alternate Interior Angle) $\angle 4 = \angle 3$ (Opposite angles of a parallelogram) \therefore By AA similarity criterion, $\triangle AEB \sim \triangle CBF$</p>	<p>Correct Figure $\frac{1}{2}$</p> <p>1</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>
<p>29. Prove that : $\frac{\cos \theta}{1 - \tan \theta} + \frac{\sin \theta}{1 - \cot \theta} = \cos \theta + \sin \theta$.</p>	
<p>Solution:</p> $\begin{aligned} \text{LHS} &= \frac{\cos \theta}{1 - \frac{\sin \theta}{\cos \theta}} + \frac{\sin \theta}{1 - \frac{\cos \theta}{\sin \theta}} \\ &= \frac{\cos^2 \theta}{\cos \theta - \sin \theta} - \frac{\sin^2 \theta}{\cos \theta - \sin \theta} \\ &= \frac{(\cos \theta - \sin \theta)(\cos \theta + \sin \theta)}{\cos \theta - \sin \theta} \\ &= \cos \theta + \sin \theta = \text{RHS} \end{aligned}$	<p>$\frac{1}{2}$</p> <p>1</p> <p>1</p> <p>$\frac{1}{2}$</p>

<p>30. (a) If α, β are zeroes of the polynomial $3x^2 - 8x + 4$, then form a quadratic polynomial in x whose zeroes are $\frac{1}{\alpha}$ and $\frac{1}{\beta}$.</p> <p style="text-align: center;">OR</p> <p>(b) Find zeroes of the polynomial $6x^2 - 7x - 3$ and verify the relationship between zeroes and its coefficients.</p>	
<p>Solution: (a) $p(x) = 3x^2 - 8x + 4$</p> $\alpha + \beta = \frac{8}{3}, \alpha\beta = \frac{4}{3}$ $\therefore \frac{1}{\alpha} + \frac{1}{\beta} = \frac{\alpha + \beta}{\alpha\beta} = 2$ $\text{and } \frac{1}{\alpha\beta} = \frac{3}{4}$ $\therefore \text{required polynomial is } x^2 - 2x + \frac{3}{4}$ <p>or $k(4x^2 - 8x + 3)$, where k is a non-zero real number.</p> <p style="text-align: center;">OR</p> <p>(b) $p(x) = 6x^2 - 7x - 3 = (2x - 3)(3x + 1)$</p> <p>Zeroes of $p(x)$ are $\frac{3}{2}$ and $-\frac{1}{3}$</p> $\text{Sum of zeroes} = \frac{3}{2} - \frac{1}{3} = \frac{7}{6} = -\frac{\text{coefficient of } x}{\text{coefficient of } x^2}$ $\text{Product of zeroes} = \frac{3}{2} \times -\frac{1}{3} = \frac{-3}{6} = \frac{\text{constant term}}{\text{coefficient of } x^2}$	<p>$\frac{1}{2} + \frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>1</p> <p>1</p> <p>1</p>
<p>31. A rectangular field is 16 m long and 10 m wide. There is a path of equal width all around it, having an area of 120 sq.m. Find the width of the path.</p>	
<p>Solution: Let the width of the path be x m.</p> <p>A. T. Q. $(16 + 2x)(10 + 2x) - 16 \times 10 = 120$</p> $\Rightarrow 4x^2 + 52x - 120 = 0 \text{ or } x^2 + 13x - 30 = 0$ $\Rightarrow (x - 2)(x + 15) = 0$ $\Rightarrow x = 2$ <p>(Rejecting $x = -15$)</p> <p>\therefore Width of the path is 2 m.</p>	<p>1</p> <p>1</p> <p>1</p>

Section – D


(Long Answer Type Questions)

4 × 5 = 20

Q. Nos. 32 to 35 are Long Answer type questions of 5 marks each.

32. From a point on the ground, the angle of elevation of the top of a tree observed by a person is 60° . When moved back by 28 m, in the same line, the angle of elevation from another point on ground becomes 30° . Find the height of the tree and its distance from the initial point. (Use $\sqrt{3} = 1.73$)

Solution:



Correct Figure
1

Let the height AD of the tree be h m and its distance from the initial point B be x m

In $\triangle CAD$, $\tan 30^\circ = \frac{h}{x + 28} \Rightarrow x + 28 = h\sqrt{3}$ (i)

1 + ½

In $\triangle BAD$, $\tan 60^\circ = \frac{h}{x} \Rightarrow h = x\sqrt{3}$ (ii)

1 + ½

Solving to get, $x = 14$, $h = 14 \times 1.73 = 24.22$

½ + ½

Height of the tree = 24.22 m and distance from the initial point = 14 m.

33. (a) Find 'mean' and 'mode' of the following data :

Class	10-25	25-40	40-55	55-70	70-85	85-100
Number of Students	12	10	15	13	8	12

OR

- (b) The following table shows the ages of patients admitted in a hospital during a year :

Age (in years)	5-15	15-25	25-35	35-45	45-55	55-65
Number of Patients	7	10	21	22	15	5

Find 'mode' and 'median' of the above data.

Solution: (a)

CI	x_i	f_i	$u_i = \frac{x_i - 47.5}{15}$	$f_i u_i$
10 – 25	17.5	12	- 2	- 24
25 – 40	32.5	10	- 1	- 10
40 – 55	47.5	15	0	0
55 – 70	62.5	13	1	13

Correct Table
1½

70 – 85	77.5	8	2	16			
85 – 100	92.5	12	3	36			
		70		31			
<p>Mean = $47.5 + 15 \times \frac{31}{70} = 54.14$</p> <p>Modal class is 40 – 55</p> <p>Mode = $40 + 15 \times \frac{15 - 10}{30 - 10 - 13}$</p> <p style="text-align: center;">= 50.71</p> <p style="text-align: center;">OR</p>					1½		
(b)						1½	
						½	
						Correct Table	
						1	
						1½	
						½	
						1½	
						½	
<p>34. The sum of a 2-digit number and the number obtained by reversing the order of its digits, is 121. The two digits differ by 3.</p> <p>(i) Represent the above information in the form of pair of linear equations.</p> <p>(ii) Show that the equations have unique solution.</p> <p>(iii) Solve the equations and find the number.</p>							
<p>Solution: Let the unit digit be y and tens digit be x ($x > y$)</p> <p>The two-digit number will be $10x + y$</p> <p>A.T.Q. $(10x + y) + (10y + x) = 121$</p> <p>(i) $\Rightarrow x + y = 11$ (1) } and $x - y = 3$ (2) }</p> <p>(ii) $\frac{1}{1} \neq \frac{1}{-1}$ therefore equations have unique solution</p>					½		
					½		
					1		
					1		

(iii) Solving equations (1) and (2), we get $x = 7, y = 4$ \therefore Number is 74 47 may be considered as the correct answer if $y > x$.	1 1
--	--------

35. (a) If a line is drawn parallel to one side of a triangle to intersect the other two sides in distinct points, then prove that the other two sides are divided in the same ratio.

OR

(b) It is given that sides AB and AC and median AD of ΔABC are respectively proportional to sides PQ and PR and median PM of another ΔPQR . Show that $\Delta ABC \sim \Delta PQR$.

Solution:

Given: In ΔABC , $DE \parallel BC$

To Prove: $\frac{AD}{DB} = \frac{AE}{EC}$

Construction: Join BE, DC, Draw $DG \perp AC$ and $EF \perp AB$

Proof: $\frac{\text{ar}(\Delta ADE)}{\text{ar}(\Delta BDE)} = \frac{\frac{1}{2} \times AD \times EF}{\frac{1}{2} \times DB \times EF} = \frac{AD}{DB}$ (i)

and $\frac{\text{ar}(\Delta ADE)}{\text{ar}(\Delta CDE)} = \frac{\frac{1}{2} \times AE \times DG}{\frac{1}{2} \times EC \times DG} = \frac{AE}{EC}$ (ii)

As ΔBDE and ΔCDE are on the same base DE and between the same parallels DE and BC.

$\therefore \text{ar}(\Delta BDE) = \text{ar}(\Delta CDE)$ (iii)

From (i), (ii) and (iii), we get $\frac{AD}{DB} = \frac{AE}{EC}$

OR

Extend AD to E and PM to N such that $AD = DE$ and $PM = MN$.

Proving $\Delta DAB \cong \Delta DEC$ (By SAS congruency criterion)

Correct Figure $\frac{1}{2}$
1
1
1
1
$\frac{1}{2}$
Correct Figure 1
1

<p>Similarly, $\triangle MPQ \cong \triangle MNR$ $\therefore AB = EC$ and $PQ = NR$ (by cpct)</p> <p>Given $\frac{AB}{PQ} = \frac{AD}{PM} = \frac{AC}{PR}$ $\Rightarrow \frac{CE}{NR} = \frac{AE/2}{PN/2} = \frac{AC}{PR}$ $\Rightarrow \frac{CE}{NR} = \frac{AE}{PN} = \frac{AC}{PR}$</p> <p>Hence $\triangle CAE \sim \triangle RPN$ (By SSS similarity criterion) $\Rightarrow \angle 1 = \angle 2$, similarly $\angle 3 = \angle 4$ Adding, we get $\angle 1 + \angle 3 = \angle 2 + \angle 4$ or $\angle BAC = \angle QPR$ Hence, $\triangle ABC \sim \triangle PQR$ (By SAS similarity criterion)</p>	<p>$\frac{1}{2}$</p> <p>1</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p> <p>$\frac{1}{2}$</p>
---	--


Section - E

(Case-study based Questions)

3 × 4 = 12

Q. Nos. 36 to 38 are Case-study based Questions of 4 marks each.

36. A tent house owner provides furniture on rent. He stacks chairs in his shop to save space.



In the diagram, the height of seat of chair from ground is represented by h_1, h_2, h_3, \dots . The height of first seat is 44 cm from ground level and gap between every two seats is 10 cm.

- (i) Write the values of h_1, h_2, h_3, h_4 and h_5 in this order only.
- (ii) Show that the above values form an A.P. Write its first term and common difference.
- (iii) (a) If chairs can be stacked up to the maximum height of 160 cm, then find the maximum number of chairs in a stack.


OR

- (iii) (b) Is it possible to stack 15 chairs if maximum height of the stack can not be more than 180 cm? Justify your answer.

<p>Solution: (i) $h_1 = 44, h_2 = 54, h_3 = 64, h_4 = 74, h_5 = 84$</p> <p>(ii) Since gap between heights of seats of every two adjacent chairs is same $\therefore h_1, h_2, h_3, \dots$ form an A.P.</p>	<p>1</p> <p>$\frac{1}{2}$</p>
---	--

Here, $a = 44$ and $d = 10$	$\frac{1}{2}$
(iii) (a) $160 = 44 + (n - 1) \times 10$ $\Rightarrow n = 12.6$ \therefore maximum 12 chairs can be stacked up.	1 $\frac{1}{2}$ $\frac{1}{2}$
OR	
(iii) (b) $h_{15} = 44 + 14 \times 10$ $= 184 \text{ cm}$ $184 \text{ cm} > 180 \text{ cm}$ \therefore 15 chairs cannot be stacked up	1 $\frac{1}{2}$ $\frac{1}{2}$

37.



In a Fine Arts class, students were asked to design triangular tiles in geometric pattern.


Neelima made a circular design inside an equilateral triangle ABC. The radius of the circle is 4 cm. Observe the diagram and answer the following questions :

- (i) Determine the length OB.
- (ii) Is $DE \parallel CA$? Give reason for your answer.
- (iii) (a) Write all angles of quadrilateral OEBD and show that it is a cyclic quadrilateral.

OR

- (iii) (b) Find the perimeter of $\triangle ABC$. (Use $\sqrt{3} = 1.73$)

Solution:





- (i) In $\triangle ODB$, $\sin 30^\circ = \frac{4}{OB} \Rightarrow OB = 8 \text{ cm}$
- (ii) Yes, $DE \parallel CA$

1

$\frac{1}{2}$

<p>ΔABC is an equilateral triangle and $AD \perp BC$ $\Rightarrow D$ is the mid point of BC Similarly, E is the mid point of AB, so $DE \parallel CA$</p>	1/2
<p>(iii) (a) $\angle EBD = 60^\circ \Rightarrow \angle EOD = 120^\circ$ $\angle OEB = \angle ODB = 90^\circ$ (radius is perpendicular to the tangent through the point of contact) $\angle OEB + \angle ODB = 90^\circ + 90^\circ = 180^\circ$ \therefore quad. $OEBD$ is a cyclic quad.</p> <p style="text-align: center;">OR</p>	1/2 1/2 1/2 1/2
<p>(iii) (b) In ΔOBD, $\cos 30^\circ = \frac{BD}{8} \Rightarrow BD = 6.92 \text{ cm}$ $BC = 2 BD = 13.84 \text{ cm}$ \therefore Perimeter of $\Delta ABC = 41.52 \text{ cm}$</p>	1 1

38.



A farmer has put up a decorative windmill in his farm in which there are eight blades of equal width and equally placed in a circular arrangement. A circular wire goes through them.

The diagram shows two blades OAB and OPQ in a quarter circle with centre O . $\angle AOB = \angle POQ = 30^\circ$, $OA = 28 \text{ cm}$, $OC = 21 \text{ cm}$.

O is the centre of both the circles.

- (i) Determine the measure of $\angle BOP$.
- (ii) Find length of arc CD .
- (iii) (a) Find the area of region $CABD$.

OR

- (iii) (b) Find perimeter of region $CABD$.

Solution: (i) $\angle AOC = 90^\circ$ and blades are equally placed

$$\therefore \angle BOP = \frac{1}{2} (90^\circ - 60^\circ) = 15^\circ$$

(ii) Length of arc $CD = \frac{30}{360} \times 2 \times \frac{22}{7} \times 21 = 11 \text{ cm}$

1

1

(iii) (a) Area of region CABD = $\frac{30}{360} \times \frac{22}{7} \times (28^2 - 21^2)$	1
= 89.8 sq. cm	1
OR	
(iii) (b) Length of arc AB = $\frac{30}{360} \times 2 \times \frac{22}{7} \times 28 = \frac{44}{3} = 14.67$ cm	1
Perimeter of region CABD = $14.67 + 11 + 2 \times (28 - 21) = 39.67$ cm	1